## Listing of the Claims

 (Currently Amended) A method for providing instructions to a user for operating an external defibrillator device 70-having a set of electrodes 50-couplable to a patient, said method comprising the steps of:

transmitting over a wireless protocol a voice prompt instructing the user to attach the set of electrodes 50-to the patient; and

transmitting over the wireless protocol at least one additional voice prompt instructing the user to administer defibrillator therapy.

- 2. (Original) The method of claim 1 further comprising the step of transmitting over the wireless protocol a voice prompt instructing the user to administer CPR therapy.
- 3. (Original) The method of claim 2 further comprising the step of transmitting over the wireless protocol a voice prompt instructing the user that a patient assessment sequence is to begin.
- 4. (Currently Amended) The method of claim 1 wherein said external defibrillator 70 is a fully automatic external defibrillator.
- (Currently Amended) The method of claim 1 wherein said external defibrillator 70 is a semi-automatic external defibrillator.
- 6. (Original) The method of claim 1 wherein said wireless protocol is selected from the group consisting of Bluetooth, IEEE 802.11, IEEE 802.15, IEEE802.16, Near Field Communication --- Interface and Protocol ("NFCIP-1"), and HomeRF.
- (Currently Amended) The method of claim 1, further comprising the step of transmitting voice prompts to a receiver embedded in a portable device-56.
- 8. (Currently Amended) The method of claim 7 wherein said portable device 56-is selected from the group consisting of a headphone, wireless telephone and a PDA.

- (Currently Amended) An electrotherapy device <del>70</del>-comprising:
  - a controller-74;
  - an energy source-12;
  - at least one electrode 50-for providing electrotherapy to a patient;
- an energy delivery system 49-operable by the controller to deliver an electrical shock from the energy source to the at least one electrode;
  - a voice circuit 94-for generating audio prompts initiated by the controller;
- a wireless transmitter 85-coupled to the voice circuit for transmitting the audio prompts over a wireless communication protocol.
- 10. (Currently Amended) The electrotherapy device of claim 9 further comprising a portable device 56-having a wireless receiver embedded therein, said wireless receiver operating in accordance with the wireless communication protocol over which the wireless transmitter operates.
- 11. (Currently Amended) The electrotherapy device of claim 10 wherein said portable device 56-is selected from the group consisting of a headphone, wireless telephone and a PDA.
- 12. (Original) The electrotherapy device of claim 9 wherein said electrotherapy device is an external defibrillator.
- 13. (Original) The electrotherapy device of claim 12 wherein said external defibrillator is a fully automatic external defibrillator.
- 14. (Original) The electrotherapy device of claim 12 wherein said external defibrillator is a semi-automatic external defibrillator.

15. (Original) The electrotherapy device of claim 9 wherein said wireless communication protocol employed by the wireless receiver is selected from the group consisting of Bluetooth, IEEE 802.11, IEEE 802.15, IEEE802.16, Near Field Communication --- Interface and Protocol ("NPCIP-1"), and HomeRF.